LOUVOLITE
OneTouch®
ADVANCED LIGHT CONTROL

COMPATIBLE WITH Google HOME amazon echo Control4

MOTORIZED

ONE TOUCH® WINDOW SHADING

LOUVOLITE

CHILD SAFE • CHILD SAFE •

FEEL IN CONTROL

WHEN AT HOME OR AWAY

Effortlessly control light with Louvolite One Touch®, an affordable range of rechargeable battery and mains powered motors which can power one or multiple blinds. The rechargeable Lithium motors are easy to install, no wiring and no disruption to your interiors. The hard wired AC motor easily lifts big, heavy blinds and being mains powered never needs charging.

With just the touch of a button raise or lower your blinds with the remote control and power wand or make your motorized shading smart with the Louvolite Wifi Hub. Easy living, this little device enables you to control your blinds with the app, voice control and home automation systems. It simply connects your shading to your smart device using wifi.

The app provides additional options such as multi room control and the ability to set timers and daily schedules, which is great for energy saving or as a safety feature so your home looks occupied even when you're not there.

HOW CAN MOTORIZATION BENEFIT YOU?

One Touch® makes life more convenient, safe, and enjoyable.

No disruption to your decor with the quick, wire-free installation of lithium battery powered rechargeable motors.

Various control options available to suit your lifestyle.

The easy-to-use app - for mobile or tablet - is simple to set up and pair with your WiFi Hub and motorized blinds.

Hands-free operation is great for when you're busy, or equally, enjoying some downtime.

Scheduling automatically provides routine, privacy and additional security for your home.

https://www.louvolite.com/home-hub-set-up/

MAKE THE MOST OF YOUR SHADING

On-the-go operation, set-and-forget schedules and voice control of your motorized shading are all possible with the Louvolite One Touch® WiFi Hub.

VOICE CONTROL

Using simple voice commands via Amazon Alexa, Google Assistant, or Siri, you can control your blinds hands free.

APP CONTROL

Control your blinds at anytime, anywhere with the app! It's user friendly and free to download for iOS and Android, just search Neo Smart Blinds in the Apple App Store or Google Play Store.

SCHEDULING (TIMER)

Pre-set your blinds to open, close and position your blinds automatically at set times of the day or in time with the sunrise and sunset. Great for energy saving!

PERSONALIZED EXPERIENCE

Create rooms and scenes to control your blinds how you want, when you want. With scenes you activate your blinds with specifically set commands, like "Movie time!".

PEACE OF MIND DESIGN

With no operating chains and cords, motorization creates a child and pet safe environment (one less thing to worry about) and the blind looks so sleek at the window.

Motorized window shading combines function, style and convenience, allowing you to let light in when you want it and provide privacy when you need it, ensuring the ones you care about and your home are safe and protected.

POWER WAND

RECHARGEABLE LITHIUM BATTERY 1.2Nm MOTOR

Designed to fit 40 & 45mm tubes, for blinds up to 2.5m (98.42”) wide
Can be used with Roller, Vision® and RomaShade blinds

FEATURES

- Quick and easy installation, no wiring needed.
- Controlled by a slim wand that hangs neatly next to the blind. Available in 0.6m, 1m and 1.5m lengths to suit your interior and lifestyle.
- Set up to 3 limits to stop blind at chosen heights.
- Easy to charge from accessible port on the bottom of the wand.
- Recharge using the 8.4V micro USB charger.

PERFORMANCE PARAMETERS

Rated Voltage	DC7.4V
Rated Torque	1.2Nm
Max Run Time	No limit
Speed	25rpm
Radio Frequency	433.92MHz
RF Modulation	ASK
IP Rating	IP44
Limit Switch Type	Electronic
Amps	900mA
Battery Size/Type	2600mAH
Temp Working Range	14°F to 122°F (-10°C to 50°C)
Insulation Class	III
Sound Level	30dB

OPERATE BY

WAND CONTROL
Available in 0.6m, 1m and 1.5m lengths

RECHARGEABLE 1200

LITHIUM BATTERY 1.2Nm MOTOR

Designed to fit 38, 40 & 45mm tubes, for blinds up to 2.5m (98.42”) wide
Can be used with Roller, Vision® and RomaShade blinds

FEATURES

- Quick and easy installation, no wiring needed.
- Lifts blinds up to 3.5kgs (7.72lb)
- Soft start and stop technology.
- Set up to 4 limits to stop blind at chosen heights.
- Minimum blind width of 510mm (20.08”)
- Recharge with the plug-in wall charger or trickle charge with the solar panel.

PERFORMANCE PARAMETERS

Rated Voltage	DC7.4V
Rated Torque	1.2Nm
Max Run Time	No limit
Speed	25rpm
Radio Frequency	433.92MHz
RF Modulation	ASK
IP Rating	IP44
Limit Switch Type	Electronic
Amps	900mA
Battery Size/Type	2600mAH
Temp Working Range	14°F to 122°F (-10°C to 50°C)
Insulation Class	III
Sound Level	30dB

OPERATE BY

REMOTE CONTROL
Single, 6 and 16 channel and timer remote

VOICE CONTROL
with Amazon Alexa, Google Home and Siri

APP CONTROL
on a mobile phone or tablet and with Control4

1200-SHORT

RECHARGEABLE LITHIUM BATTERY 1.2Nm MOTOR

CHILD SAFE • CHILD SAFE •

FEATURES

- Designed to fit 38, 40 & 45mm tubes, for blinds up to 2.5m (98.42”) wide.
- Motorize blinds as narrow as 355mm (13.97”) and no wiring needed to install.
- Soft start and stop technology with the ability to set up to 4 height limits.
- Operate using the app or with remote and voice control.
- Recharge the external battery pack with the plug-in charger or solar panel.
- Motorize roller, Vision® and RomaShade.

PERFORMANCE PARAMETERS

Rated Voltage	DC7.4V
Rated Torque	1.2Nm
Max Run Time	No limit
Speed	25rpm
Radio Frequency	433.92MHz
RF Modulation	ASK
IP Rating	IP44
Limit Switch Type	Electronic
Amps	900mA
Battery Size/Type	2600mAH
Temp Working Range	14°F to 122°F (-10°C to 50°C)
Insulation Class	III
Sound Level	30dB

RECHARGEABLE 1800

LITHIUM BATTERY 1.8Nm MOTOR

Designed to fit 38, 40 & 45mm tubes, for blinds up to 3.5m (137.79") wide
Can be used with Roller, Vision® and RomaShade blinds

FEATURES

- Easy and quick installation, no wiring needed.
- Extremely quiet operation with soft start and stop technology.
- Set up to 4 limits to stop blind at chosen heights.
- 6kg (13.23lb) weight capacity enables multi blind operation using the drive link system.
- Recharge with the plug-in wall charger or trickle charge with the solar panel.

PERFORMANCE PARAMETERS

Rated Voltage	DC7.4V
Rated Torque	1.8Nm
Max Run Time	No limit
Speed	25rpm
Radio Frequency	433.92MHz
RF Modulation	ASK
IP Rating	IP44
Limit Switch Type	Electronic
Amps	900mA
Battery Size/Type	3000mAH
Temp Working Range	14°F to 122°F (-10°C to 50°C)
Insulation Class	III
Sound Level	30dB

OPERATE BY

REMOTE CONTROL
Single, 6 and 16 channel and timer remote

VOICE CONTROL
with Amazon Alexa, Google Home and Siri

APP CONTROL
on a mobile phone or tablet and with Control4

HARD WIRED AC MOTOR

MAINS POWERED 1.8Nm MOTOR

Designed to fit 38, 40 & 45mm tubes, for blinds up to 3.5m (137.79”) wide
Can be used with Roller, Vision® and RomaShade blinds

FEATURES

- A highly efficient mains powered AC motor system that lifts blinds up to 3.5m wide.
- Ultra quiet operation - only 30db! - with soft start and stop technology.
- 6kg (13.23lb) weight capacity enables multi blind operation using the drive link system.
- Simple to program and set.
- Set up to 4 limits to stop blind at chosen heights.

PERFORMANCE PARAMETERS

Rated Voltage	AC 100-240V
Rated Torque	1.8Nm
Max Run Time	4-6 Minutes
Speed	25rpm
Radio Frequency	433.92MHz
RF Modulation	ASK
IP Rating	IP44
Limit Switch Type	Electronic
Temp Working Range	-4°F to 122°F (-10°C to 50°C)
Insulation Class	I.C.L.A
Sound Level	30dB

OPERATE BY

REMOTE CONTROL
Single, 6 and 16 channel and timer remote

VOICE CONTROL
with Amazon Alexa, Google Home and Siri

APP CONTROL
on a mobile phone or tablet and with Control4

CELLULAR

RECHARGEABLE LITHIUM BATTERY 0.6Nm MOTOR

CHILDSAFE • CHILDSAFE •

FEATURES

- Designed for Cellular free hang and Perfect Fit blinds up to 3m (118.11") wide.
- Quick and easy installation, no wiring needed.
- Childsafe with no loose cords.
- Discreet design that fits the free hang headrail and the Perfect Fit system.
- Operate with remote control, voice control with Amazon Alexa, Google Home and Siri or app control on a smart device and with Control 4.
- Set up to 4 limits to stop blind at chosen heights.
- Recharge with the plug-in wall charger or trickle charge with the solar panel.

PERFORMANCE PARAMETERS

Rated Voltage	DC 7.4V
Rated Torque	0.6Nm
Speed	34rpm
Radio Frequency	433.92MHz
Rated Power	8.9W
Rated Current	0.8A
IP Rating	IP44
Motor Diameter	15mm
Inbuilt Receiver	Yes
Minimum Blind Width	624mm (battery in blind) 490mm (battery outside of blind)
Weight Capacity	3.6kgs (7.94lbs)

SLIMLINE VOGUE®

RECHARGEABLE LITHIUM BATTERY 0.1Nm MOTOR

Designed to fit the Slimline Vogue® track, for blinds up to 3m (118.11") wide
Can be used with Vertical and Allusion® blinds

FEATURES

- Motorised 0°, 45°, 90°, 135° and 180° louvre rotation - great for adjusting to the sun's movement and any incoming glare.
- Easy and quick installation, no wiring needed.
- Fits onto the end of the track with the motor discreetly concealed behind the track.
- Use the app to set the blind to fully close in the evening and open in the morning.
- Warning light flashes when battery is low.
- Recharge using the 5V micro USB wall plug adapter charger (3m cable).
- Use the wand to fully draw open or closed.

PERFORMANCE PARAMETERS

Rated Voltage	DC 4.2V
Rated Torque	0.1Nm
Speed	42rpm
Radio Frequency	433.92MHz
Rated Power	0.67W
Rated Current	160mA
IP Rating	IP20
Motor Diameter	12mm
Inbuilt Receiver	Yes
Minimum Blind Width	200mm

OPERATE BY

REMOTE CONTROL
5 channel remote

VOICE CONTROL
with Google Home

APP CONTROL
on a mobile phone or tablet and with Control4

MOTORISED CURTAIN POLE

BATTERY & HARD WIRED AC 100-240V MOTOR

A flexible system with smooth and quiet operation

FEATURES

- Child safe with no loose cords.
- Battery or mains operated to suit most curtain installations.
- Battery option quick and easy to install, no wiring needed.
- Manual start: The curtain can be gently pulled a short distance from one side to trigger the automatic open/close function of the curtain.
- Automatic set-up: The motor will automatically set the limits of the curtain on the first operation and store the settings.
- If the curtain carriers meet any form of resistance during operation the curtain will stop automatically to protect the system.

PERFORMANCE PARAMETERS

Rated Voltage	100-240V AC 50/60Hz
Rated Torque	1.2Nm
Speed	12CM/S
Model No.	CS2030-AC
Rated Power	40W
Housing Size	295 x 50 x 50mm
IP Rating	IP20

OPERATE BY

REMOTE CONTROL
Single and 6 channel remote

VOICE CONTROL
with Amazon Alexa, Google Home and Siri

APP CONTROL
on a mobile phone or tablet and with Control4

PERFECT FIT

RECHARGEABLE LITHIUM BATTERY 0.3Nm MOTOR

CHILD SAFE • CHILD SAFE •

FEATURES

- Designed to fit the 25mm Perfect Fit tube, for blinds up to 1.4m wide.
- For Roller and Vision® Perfect Fit blinds.
- The motor and fabric tube are discreetly housed within the Perfect Fit frame which fixes onto window and door frames allowing the blind to move with them when used.
- Operate up to 15 blinds individually or altogether with remote control, voice control with Amazon Alexa, Google Home and Siri or app control on a mobile phone or tablet and with Control 4.
- Set limits to stop blind at a highest, mid and lowest point.
- Recharge using the 5V micro USB wall plug adapter charger (3m cable).

PERFORMANCE PARAMETERS

Rated Voltage	DC 5V
Rated Torque	0.3Nm
Speed	30rpm
Rated Power	3W
Rated Current	600mA
IP Rating	IP20
Motor Diameter	15mm
Minimum Blind Width	400mm
Weight Capacity	1kgs (2.2lbs)

LOUVOLITE
OneTouch®
ADVANCED LIGHT CONTROL

COMPATIBLE WITH Google HOME amazon echo Control4

View our fabric collection by visiting your local stockist or our website

+1 905 374 0123 | orderdesk@louvolitecanada.com | www.louvolite.ca

LOUVOLITE